

NOTES

1. This tract is subject to a 10' pedestrian easement along the ordinary high water line of Sockeye Lake and any other water frontage of any sort.
2. This survey was accomplished in accordance with O.T.E. S.I. 80-59 and A.S.38.05.077.
3. Location of property corners are based on claimants monuments posts and monument accessories located this survey.
4. Bearings and distances are true mean bearings and distances.
5. The land bounded by this survey is subject to normal water runoff.
6. The field work for the ASLS 80-77 was done in conjunction with the fieldwork for ASLS 72-31.
7. All bearings and distances shown are record from ASLS 72-31.
8. The natural meanders of the line of ordinary high water forms the true bounds of the tracts. The approximate line of ordinary high water as shown, is for survey computations and data only, with the true tract corners being on the extension of the tract side lines and their intersection with the natural meanders.
9. All coordinates shown are based on the "Alaska Coordinates System" Zone 4.
10. The U.T.M. and Metric Data is being shown hereon for information purposes only.
11. The minimum bearing and distance closure of the exterior boundary of each site is within the accuracy of one part in five thousand as field monumented.
12. Each site is co-ordinated to the rectangular survey net within a minimum accuracy of one part in two thousand.

SPECIAL NOTE

It is neither expressed nor implied that the State of Alaska will be responsible for the accuracy of the geodetic location, technical survey corrections, or accuracy of the relation to the Basis of Bearing.

LEGEND

- ⊕ Brass cap set this survey
- ⊕ Existing brass cap



TYPICAL MONUMENT MARKINGS

*Brass cap monuments 30" long are set such that the
brass cap is within 4" of the surface.*