## NOTES

- 1. Basis of Bearing and record dimensions are taken from BLM unapproved survey plat of TlN, R31W, S.M., AK executed by Airborne Control Surveys, Ltd., 06-15-78 through 08-07-78.
- 2. The meanders shown hereon are for area computation purposes only, and the true meanders of ordinary high water form the boundaries of the lots.
- 3. The survey was accomplished by "on the ground" survey methods utilizing EDM equipment and theodolites.
- 4. Primary monuments were set 26 inches <u>+</u> in ground with steel witness post set 1 foot <u>+</u> from monument. Lot corners are 5/8" x 30" rebar with aluminum cap driven 28 inches <u>+</u> into ground.
- 5. Bearings and distances shown hereon are true bearings and true distances.
- 6. Surface Estate transferred to Nondalton Native Corporation by Interim Conveyance 300 dated March 10, 1980.

## LEGEND



- FOUND BLM MONUMENT AS SHOWN
- SET 3 1/4" ALUM. CAP MONUMENT ON 2 1/2" ALUM. PIPE 30" LONG WITH WITNESS POST-SEE NOTE 4
- SET 5/8" x 30" REBAR WITH 2" DIAM. ALUM. CAP-SEE NOTE 4
  - () RECORD DIMENSION SEE NOTE 1
- \_\_\_\_\_ MEANDER LINE OF ORDINARY HIGH WATER LAKE CLARK AND PORTAGE BAY
  - LINE TABLES

    MEANDER LINE NUMBER SEE MEANDER

## Restrictive Covenants were recorded FEDAMAN | 1984, at the ILIMANA Recording District in Book | Page 401 | AEXCAPTING BIKE 1, 5 1 14 | AND TRACES A. B. C.

ACCESS and UTILITY EASEMENTS

Private 100' wide access and

utility easements were granted to

Keyes Point Property Owners

Association Fallow 1. 1984

at the Live Recording

District in Book 1. Page 13.

## BLOCK 13

Line	Bearing	Distance
1 2 3 4 5 6 7 8	N 42 <sup>0</sup> 45'08"E N 39 <sup>0</sup> 53'51"E N 42 <sup>0</sup> 41'13"E N 38 <sup>0</sup> 44'57"E N 33 <sup>0</sup> 13'07"E N 30 <sup>0</sup> 43'39"E N 30 <sup>0</sup> 19'46"E N 72 <sup>0</sup> 24'58"E	191.79 188.07 190.72 188.63 255.81 258.50 128.92 280.48
9	N 74°57'43"E	309.62